



# Simply The ONE

Reliable

Universal

Aesthetic

Technique insensitive

Simple

## G-CEM ONE™

Self-adhesive resin cement



# GC




Since 1921  
100 years of Quality in Dental

# The ONE... that simplifies!

G-CEM ONE is a truly **universal, non-technique sensitive** cement with **high bond strength** and excellent self-curing ability. It simplifies **all your cementation procedures** and gives you more **predictable results** and peace of mind. G-CEM ONE can be used for a **wide range of indications**, including challenging clinical situations thanks to the **GC Touch Cure**.

## One GC Touch Cure

The chemical initiator in **G-CEM ONE Adhesive Enhancing Primer** will accelerate the chemical cure of the cement from the tooth surface to ensure stable bonding.




### Reliable

Optimal bond strength for retentive and non-retentive<sup>1</sup> preparations thanks to the unique **GC Touch Cure** ability of the **optional G-CEM ONE Adhesive Enhancing Primer**.

### Technique insensitive

Exceptional self-curing for your peace of mind, tack cure feature for easy excess removal and clean up, moisture and saliva tolerance<sup>1</sup>, optimised flow of the paste and virtually no post-operative sensitivity<sup>3</sup>.

## One optimised self-curing ability



Source:  
Prof. Miyazaki, Nihon University, Japan.

<sup>1</sup> With G-CEM ONE Adhesive Enhancing Primer

<sup>2</sup> With G-Multi PRIMER

<sup>3</sup> Field survey results. Using G-CEM ONE only. Data on File.



# The ONE... that simplifies!

## G-CEM ONE Adhesive Enhancing Primer (Optional)

For all abutment tooth and cavities

- MDP: bond to tooth structure, zirconia and non-precious metal
- 4-MET: bond to tooth structure
- MDTP: bond to precious metal
- Accelerator ⇒ Strong bonding to abutment tooth and cavity by **GC Touch Cure** feature.

No light curing, simply drying.

Wait 10 sec

Strong air 5 sec



### Universal

Excellent bond strength to tooth and to all substrates:

Enamel, Dentin, Zirconia, Metal, Glass ceramics<sup>2</sup>, Hybrid ceramics<sup>2</sup>.

### Aesthetic

Invisible, wear resistant margin for aesthetic outcomes.

### Simple

Reduced inventory for reproducibility and optimised workflow.

One performance regardless of the translucency



Metal

Courtesy of  
Dr. Kazunori Otani, Japan




Lithium disilicate


Courtesy of  
Dr. Akimasa Tsujimoto, Japan

# The ONE... you can trust!

One cement for superior bond strength to all substrates




Source: GC R&D, Data on file.




Source: GC R&D, Data on file.  
<sup>1</sup> With G-Multi PRIMER

One primer for clinical challenges



Source: GC R&D, Data on file.




Source: GC R&D, Data on file.

Immediate bond strength to avoid early debonding in non-retentive cases and CAD/CAM milled crowns, for the comfort of your patients.

The G-CEM ONE Adhesive Enhancing Primer ensures high bond strength, even in presence of saliva contamination.

One invisible margin for aesthetic outcome



Source: GC R&D, Data on file.



Before treatment



After six months

Courtesy of Dr. Masayuki Okawa, Japan

Low film thickness (5 µm) and high wear resistance keep the invisible cement line.



With optional G-CEM ONE Adhesive Enhancing Primer

# The ONE... clinical partner!

One optimised flow

One easy excess removal with 1 second tack curing



Courtesy of  
Dr. Kazunori Otani, Japan

## One for all Clinical case scenarios

Posterior Crown (Zirconia)



Prepared tooth cleaned and dried.



Restoration cemented.



Final result.

Courtesy of  
Dr. Kazunori Otani, Japan



Anterior Crown (Lithium Disilicate)



Prepared tooth cleaned and dried.



Application of G-CEM ONE Adhesive Enhancing Primer.



Final result.

Courtesy of  
Dr. Kazunori Otani, Japan



Posterior Onlay (Lithium Disilicate)



Initial situation.



Restoration cemented with use of G-CEM ONE Adhesive Enhancing Primer.



Final result.

Courtesy of  
Dr. Riccardo Tempesta, Italy



With optional G-CEM ONE Adhesive Enhancing Primer

# Packaging

SKU	Description
10006918	G-CEM ONE Starter Kit A2
10006919	G-CEM ONE Starter Kit Translucent
10006920	G-CEM ONE System Kit
10006921	G-CEM ONE Twin Refill A2
10006922	G-CEM ONE Twin Refill Translucent
10006923	G-CEM ONE Single Refill AO3
10006924	G-CEM ONE Single Refill White Opaque
10006925	G-CEM ONE Value Refill A2
10006926	G-CEM ONE Value Refill Translucent
10006833	G-CEM ONE Adhesive Enhancing Primer



G-CEM ONE System Kit




G-CEM ONE Starter Kit



G-CEM ONE Adhesive Enhancing Primer

## Shade range



## Related products



**G-Multi PRIMER**  
Universal Primer



**D-Light® Pro**  
Dual wavelength  
LED curing light



**FREEGENOL**  
Temporary  
luting cement

G-Multi PRIMER, D-Light® Pro and FREEGENOL are trademarks of GC.

RelyX Unicem, RelyX Ulitimate, Maxcem Elite, PANAVIA SA Cement Universal, PANAVIA V5, SpeedCem Plus, NX3 Nexus and Multilink Automix are not trademarks of GC.

### GC EUROPE N.V.

Head Office  
Researchpark,  
Haasrode-Leuven 1240  
Interleuvenlaan 33, B-3001 Leuven  
Tel. +32.16.74.10.00  
Fax. +32.16.40.48.32  
info.gce@gc.dental  
<http://europe.gc.dental>

### GC UNITED KINGDOM Ltd.

Coopers Court Newport Pagnell  
Buckinghamshire  
MK16 8JS  
United Kingdom  
Tel. +44.1908.218.999  
Fax. +44.1908.218.900  
info.uk@gc.dental  
<http://europe.gc.dental/en-GB>

